


[illegible]

Figure 1

FIG. 2(a) 2005022860




Figure 2(a)




Figure 2(b)




Figure 2(c)




Figure 3




Figure 4




Figure 5

100140 40000000




Figure 6

100140" 20062350




Figure 7

100440-20000350




Figure 8

Asthma Self Assessment Survey

Name: <-----FirstName-----> <-----LastName----->
SSN: <-----Password----->
Daytime Phone: _____
Date: <-----Date----->

Asthma Severity Index - Fits a profile of <-----AS-----> Asthma.

Asthma Symptoms

<-----Question1-----> of asthma symptoms in the past week.
<-----Question2-----> of asthma symptoms in the past week.
<-----Comment5-----> asthma attacks since last doctor's appointment.
<-----Comment6-----> unscheduled visits to the doctor, including the
ER, since last appointment.

Performance - Has <-----PS-----> performance limitations due to asthma.

<-----Question3-----> of restricted physical activity in the past
week.
<-----Question4-----> of missed school/work in the past month due to
asthma.

Medication & Monitoring - <-----MS----->

<-----Question7-----> of quick relief medicine, like Albuterol, used
per week.
<-----Question8-----> of quick relief medicine, like Albuterol, used
per month.
<-----Comment9-----> take peak flow meter readings at home.
<-----Comment10----->

Quality of Life - <-----QS----->

Feels asthma is <-----Question11-----> controlled.
Feels <-----Question12-----> satisfied with asthma care.

This assessment survey is based on the 1997 NIH National Heart Lung Blood
Institute Clinical Asthma Guidelines.

Created by the Center for Total Access - Fort Gordon, GA - 2000

*** Please Note: It is important to share this information with your healthcare
provider. If you do not have a scheduled appointment in the near future, please
feel free to mail this form to your healthcare provider for his/her review.***

Figure 9(a)

Asthma Self Assessment Survey

Name: john doe
SSN: 000112222
Daytime Phone: _____
Date: 2/15/00

Asthma Severity Index - Fits a profile of Mild Intermittent Asthma

Asthma Symptoms

No days of asthma symptoms in the past week.
No nights of asthma symptoms in the past week.
Has not had asthma attacks since last doctor's appointment.
Has had unscheduled visits to the doctor, including the ER, since last appointment.

Performance - Has mild performance limitations due to asthma

1 day of restricted physical activity in the past week.
1 day or less of missed school/work in the past month due to asthma.

Medication & Monitoring - Good medical compliance

Less than 8 puffs of quick relief medicine, like Albuterol, used per week.
Less than 1 inhaler of quick relief medicine, like Albuterol, used per month.
Does not take peak flow meter readings at home.

Quality of Life - Fair

Feels asthma is very well controlled.
Feels somewhat satisfied with asthma care.

This assessment survey is based on the 1997 NIH National Heart Lung Blood Institute Clinical Asthma Guidelines.

Created by the CTA Disease Management - Fort Gordon, GA - 1998

*** Please Note: It is important to share this information with your healthcare provider. If you do not have a scheduled appointment in the near future, please feel free to mail this form to your healthcare provider for his/her review.***

Figure 9(b)

Asthma Patient Assessment Survey

Name: _____
SSN: _____
Daytime Phone: _____
Date: <-----Date----->

Asthma Severity Index - Fits a profile of <-----AS-----> Asthma

Asthma Symptoms

<-----Question1-----> of asthma symptoms in the past week.
<-----Question2-----> of asthma symptoms in the past week.
<-----Comment5-----> asthma attacks since last doctor's appointment.
<-----Comment6-----> unscheduled visits to the doctor, including the
ER, since last appointment.

Performance - Has <-----PS-----> performance limitations due to asthma

<-----Question3-----> of restricted physical activity in the past
week.
<-----Question4-----> of missed school/work in the past month due to
asthma.

Medication & Monitoring - <-----MS----->

<-----Question7-----> of quick relief medicine, like Albuterol, used
per week.
<-----Question8-----> of quick relief medicine, like Albuterol, used
per month.
<-----Comment9-----> take peak flow meter readings at home.
<-----Comment10----->

This assessment survey is based on the 1997 NIH National Heart Lung Blood
Institute Clinical Asthma Guidelines.

Created by the Center for Total Access - Fort Gordon, GA - 2000

Figure 10